

**Series 8, Built-in steamer, 60 x 45 cm,  
Black  
CDG634AB0**



**Included accessories**

1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge

**Optional accessories**

HEZ660050 : Cover Strip  
HEZ660060 : Strip  
HEZ915003 : Glass roasting dish, 5,4 L  
HEZG0AS00 : Connecting cable 3m

**The steamer: prepare foods especially gently, retaining the aroma and vitamins.**

- **Steam function:** for gentle, healthy food preparation.
- **AutoPilot 20:** every dish is a perfect success thanks to 20 pre-set automatic programmes.
- **TFT Touch Display:** easy-to-use thanks to the Control Ring with clear text and symbols.
- **Flap door with Soft Open and Soft Close:** the oven door opens and closes especially gently and quietly.

**Technical Data**

Color / Material Front : Black  
Built-in / Free-standing : Built-in  
Min. required niche size for installation (HxWxD) : 450-455 x 560-568 x 550 mm  
Dimensions : 455 x 594 x 548 mm  
Dimensions of the packed product (HxWxD) : 520 x 650 x 710 mm  
Control Panel Material : Glass  
Door Material : Glass  
Net weight : 24.6 kg  
Length electrical supply cord : 150 cm  
EAN code : 4242005101733  
Connection Rating : 1750 W  
Fuse protection : 10 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Plug type : Gardy plug w/ earthing  
Included accessories : 1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge



## **Series 8, Built-in steamer, 60 x 45 cm, Black CDG634AB0**

**The steamer: prepare foods especially gently, retaining the aroma and vitamins.**

### **Type of oven / heating system:**

- Compact steamer with these heating methods: Steam, Regeneration with steam, Fermentation with steam, Defrost with steam
- Temperature range 30 °C - 100 °C
- Cavity volume: 38 l

### **Hook-in racks / rails**

- Number of shelf levels: 3 PC

### **Design:**

- Control ring
- Cavity inner surface: enamel

### **Cleaning:**

- Full glass inner door

### **Comfort:**

- 2,5"-TFT-color and text display with touch-control buttons
- Electronic clock
- Temperature proposal  
Actual temperature display Heating-up control
- AutoPilot 20
- Drop down door
- Bar handle
- Supporting systems: Programs
- Interior lighting, Switch for oven illumination
- Water tank empty indicator
- Location of the steam generator is inside of the cavity
- Integral cooling fan

### **Accessory:**

- 1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge

### **Environment and Safety:**

- low door temperature
- Child lock  
Start-/Stop button Door contact switch

### **Technical Information**


- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 1.75 KW

### **Dimensions:**

- Appliance dimension (HxWxD): 455 mm x 594 mm x 548 mm
- Niche dimension (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"
- We recommend you to choose complementary products within Series 8, in order to assure an optimal design combination of your Built-In appliances.

## Series 8, Built-in steamer, 60 x 45 cm, Black CDG634AB0


Installation with a hob.




measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm



measurements in mm



measurements in mm

